

**DOMINO LT : V210**

**DMX channel's functions and their values (70DMX channels):**

St	Ba	Ex	Value	Function
				<b>PAN Movement 8bit :</b>
1	1	1	0-255	Pan Movement
				<b>Pan Fine 16bit</b>
2		2	0-255	Fine control of Pan movement
				<b>TILT Movement 8bit :</b>
3	2	3	0-255	Tilt Movement
				<b>Tilt Fine 16bit</b>
4		4	0-255	Fine control of Tilt movement
				<b>Speed Pan/Tilt movement:</b>
			0-225	max to min speed
			226-235	blackout by movement
			236-245	blackout by all wheel changing
			246-255	no function
				<b>Shutter, strobe:</b>
			0-10	Shutter closed
			11-20	No function (shutter open)
			21-117	Strobe effect slow to fast
			118-126	No function (shutter open)
			127-180	Pulse-effect in sequences
			181-191	No function (shutter open)
			192-245	Random strobe effect slow to fast
			246-255	No function (shutter open)
				<b>Dimmer intensity:</b>
			0-255	Intensity 0 to 100%
				<b>Fine Dimmer intensity:</b>
			0-255	Dimmer intensity fine
				<b>Zoom :</b>
			0-255	Zoom adjustment from small to big
				<b>Zoom Fine:</b>
			0-255	Zoom adjustment Fine
				<b>Focus :</b>
			0-255	Continuous adjustment from near to far
				<b>Focus Fine:</b>
			0-255	Continuous adjustment Fine
				<b>Auto Focus :</b>
			0-50	Auto Focus Off
			51-100	5m
			101-150	7.5m
			151-200	10m
			201-255	15m
				<b>AutoFocus Fine:</b>
			0-255	Continuous adjustment Fine
				<b>Color Wheel:</b>
			0-3	Open / white
			4-7	Color 1
			8-11	Color 2
			12-15	Color 3
			16-19	Color 4
			20-23	Color 5
			24-27	Color 6
			28-127	Color indexing
			128-189	Forwards rainbow effect from fast to slow
			190-193	No rotation
			194-255	Backwards rainbow effect from slow to fast
				<b>Color Wheel Fine:</b>
			0-255	Color Wheel colour change to any position Fine
				<b>Cyan Color :</b>
			0-255	Cyan (0-white, 255-100% Cyan)
				<b>Cyan Color Fine :</b>
			0-255	Cyan Fine
				<b>Magenta Color :</b>
			0-255	Magenta (0-white, 255-100% magenta)
				<b>Magenta Color Fine :</b>
			0-255	Magenta Fine
				<b>Yellow Color :</b>
			0-255	Yellow (0-white, 255-100% Yellow)
				<b>Yellow Color Fine :</b>
			0-255	Yellow Fine

16	14	23		<b>CTO Color :</b>
			0-255	CTO (0-white, 255-100% CTO)
		24		<b>CTO Color Fine :</b>
			0-255	CTO Fine
17	15	25		<b>CTB Color :</b>
			0-255	CTB (0-white, 255-100% CTO)
		26		<b>CTB Color Fine :</b>
			0-255	CTB Fine
18	16	27		<b>CTP Color :</b>
			0-255	CTP (0-white, 255-100% CTO)
		28		<b>CTP Color Fine :</b>
			0-255	CTP Fine
19	17	29		Reserved
20	18	30		Reserved
21	19	31		Reserved
22	20	32		Reserved
				<b>Rotating gobos, cont. rotation 1:</b>
			0-9	Open
			10-19	Rot. gobo 1
			20-29	Rot. gobo 2
			30-39	Rot. gobo 3
			40-49	Rot. gobo 4
			50-59	Rot. gobo 5
			60-69	Rot. gobo 6
			70-77	Rot. Gobo 7
			78-93	Gobo 1 shake slow to fast
			94-109	Gobo 2 shake slow to fast
			110-125	Gobo 3 shake slow to fast
			126-141	Gobo 4 shake slow to fast
			142-157	Gobo 5 shake slow to fast
			158-173	Gobo 6 shake slow to fast
			174-189	Gobo 7 shake slow to fast
			190-221	Gobo wheel rotation forwards from fast to slow
			222-223	No rotation
			224-255	Gobo wheel rotation f backwards from slow to fast
				<b>Rotating gobo index, rotating gobo rotation 1:</b>
			0-127	Gobo indexing
			128-189	Forwards gobo rotation from fast to slow
			190-193	No rotation
			194-255	Backwards gobo rotation from slow to fast
				<b>Rotating gobo indexing Fine 1:</b>
			0-255	Fine indexing
				<b>Rotating gobos, cont. rotation 2:</b>
			0-9	Open
			10-19	Rot. gobo 1
			20-29	Rot. gobo 2
			30-39	Rot. gobo 3
			40-49	Rot. gobo 4
			50-59	Rot. gobo 5
			60-69	Rot. gobo 6
			70-77	Rot. Gobo 7
			78-93	Gobo 1 shake slow to fast
			94-109	Gobo 2 shake slow to fast
			110-125	Gobo 3 shake slow to fast
			126-141	Gobo 4 shake slow to fast
			142-157	Gobo 5 shake slow to fast
			158-173	Gobo 6 shake slow to fast
			174-189	Gobo 7 shake slow to fast
			190-221	Gobo wheel rotation forwards from fast to slow
			222-223	No rotation
			224-255	Gobo wheel rotation f backwards from slow to fast
				<b>Rotating gobo index, rotating gobo rotation 2:</b>
			0-127	Gobo indexing
			128-189	Forwards gobo rotation from fast to slow
			190-193	No rotation
			194-255	Backwards gobo rotation from slow to fast
				<b>Rotating gobo indexing Fine 2:</b>
			0-255	Fine indexing
				<b>Animation wheel 1:</b>
			0-7	No rotation
			8-127	Forwards rotation from fast to slow
			128-135	No rotation
			136-255	Backwards rotation from slow to fast
				<b>Animation wheel 2:</b>
			0-255	Animation indexing
				<b>Rotating Animation wheel 2:</b>
			0-7	No rotation
			8-127	Forwards rotation from fast to slow
			128-135	No rotation
			136-255	Backwards rotation from slow to fast

30	28	42	<b><u>Iris:</u></b>
			0-191 Max. diameter to Min.diameter
			192-223 Pulse closing fast to slow
		224-255 Pulse opening slow to fast	
		43	<b><u>Iris Fine:</u></b>
			0-255 Iris Fine
31	29	44	<b><u>Prism 1:</u></b>
			0-127 Open
		128-255 Prism 1	
32	30	45	<b><u>Rotating prism index, rotating prism rotation 1</u></b>
			0-127 Prism indexing
			128-189 Forwards prism rotation from fast to slow
			190-193 No rotation
			194-255 Backwards prism rotation from slow to fast
		46	<b><u>Rotating prism indexing Fine 1:</u></b>
			0-255 Fine indexing
33	31	47	<b><u>Prism 2:</u></b>
			0-127 Open
			128-255 Prism 2
34	32	48	<b><u>Rotating prism index, rotating prism rotation 2</u></b>
			0-127 Prism indexing
			128-189 Forwards prism rotation from fast to slow
			190-193 No rotation
			194-255 Backwards prism rotation from slow to fast
		49	<b><u>Rotating prism indexing Fine 2:</u></b>
			0-255 Fine indexing
35	33	50	<b><u>Frost 1:</u></b>
			0-255 0-100%
36	34	51	<b><u>Frost 2:</u></b>
			0-255 0-100%
37	35	52	<b><u>Blade 1A :</u></b>
			0-255 Open to Close
		53	<b><u>Blade 1A Fine :</u></b>
			0-255 Open to Close Fine
38	36	54	<b><u>Blade 1B :</u></b>
			0-255 Open to Close
		55	<b><u>Blade 1B Fine :</u></b>
			0-255 Open to Close Fine
39	37	56	<b><u>Blade 2A :</u></b>
			0-255 Open to Close
		57	<b><u>Blade 2A Fine :</u></b>
			0-255 Open to Close Fine
40	38	58	<b><u>Blade 2B :</u></b>
			0-255 Open to Close
		59	<b><u>Blade 2B Fine :</u></b>
			0-255 Open to Close Fine
41	39	60	<b><u>Blade 3A :</u></b>
			0-255 Open to Close
		61	<b><u>Blade 3A Fine :</u></b>
			0-255 Open to Close Fine
42	40	62	<b><u>Blade 3B :</u></b>
			0-255 Open to Close
		63	<b><u>Blade 3B Fine :</u></b>
			0-255 Open to Close Fine
43	41	64	<b><u>Blade 4A :</u></b>
			0-255 Open to Close
		65	<b><u>Blade 4A Fine :</u></b>
			0-255 Open to Close Fine
44	42	66	<b><u>Blade 4B :</u></b>
			0-255 Open to Close
		67	<b><u>Blade 4B Fine :</u></b>
			0-255 Open to Close Fine
45	43	68	<b><u>All Blade Rotation :</u></b>
			0-255 All Blade Rotation
		69	<b><u>All Blade Rotation Fine :</u></b>
			0-255 All Blade Rotation Fine

			<b><u>Control, reset, internal programs:</u></b>
			0-4 unused
			5-9 Display Off
			10-14 Display On
			15-19 Display Invert Off
			20-24 Display Invert On
			25-26 Auto fan control mode
			27-28 Stage fan control mode
			29-30 Silence fan control mode
			31-32 Super Silence fan control mode
			33-34 Constant Fans Off
			35-36 Constant Fans On
			37-44 unused
			45-49 Square Law
			50-54 Linear
			55-58 1.2K
			59-62 2.4K
			63-66 16K
			67-69 25K
			70-74 Gobo correction Off
			75-79 Gobo correction On
			80-84 All motor reset
			85-87 Scan motor reset
			88-90 Colors motor reset
			91-93 Gobo motor reset
			94 unused
			95 Reset P/T Fade Off
			96 Reset P/T Fade On
			97-99 Other motor reset
			100-102 Frost Progressive Off
			103-105 Frost Progressive On
			106-108 CMY speed Fast
			109-111 CMY speed Medium
			112-114 CMY speed Slow
			115-117 Pan/Tilt Spd Medium
			118-120 Pan/Tilt Spd Fast
			121-123 Pan/Tilt Spd Slow
			124-126 Pan/Tilt Spd FS Mode
			127-129 Prerig INIT Off
			130-132 Prerig INIT On
			133-255 unused
46	44	70	

Mode/Channel	Value	Function
<b>Domino Mode</b>		
1		<b>PAN Movement 8bit :</b>
	0-255	Pan Movement
2		<b>Pan Fine 16bit</b>
	0-255	Fine control of Pan movement
3		<b>TILT Movement 8bit :</b>
	0-255	Tilt Movement
4		<b>Tilt Fine 16bit</b>
	0-255	Fine control of Tilt movement
5		<b>Speed Pan/Tilt movement:</b>
	0-225	max to min speed
	226-235	blackout by movement
	236-245	blackout by all wheel changing
	246-255	no function
6		<b>Shutter, strobe:</b>
	0-10	Shutter closed
	11-20	No function (shutter open)
	21-117	Strobe effect slow to fast
	118-126	No function (shutter open)
	127-180	Pulse-effect in sequences
	181-191	No function (shutter open)
	192-245	Random strobe effect slow to fast
	246-255	No function (shutter open)
7		<b>Dimmer intensity:</b>
	0-255	Intensity 0 to 100%
8		<b>Fine Dimmer intensity:</b>
	0-255	Dimmer intensity fine
12		<b>Zoom :</b>
	0-255	Zoom adjustment from small to big
13		<b>Zoom Fine:</b>
	0-255	Zoom adjustment Fine
14		<b>Focus :</b>
	0-255	Continuous adjustment from near to far
15		<b>Focus Fine:</b>
	0-255	Continuous adjustment Fine
16		<b>Auto Focus :</b>
	0-50	Auto Focus Off
	51-100	5m
	101-150	7.5m
	151-200	10m
	201-255	15m
17		<b>AutoFocus Fine:</b>
	0-255	Continuous adjustment Fine
18		<b>Color Wheel:</b>
	0-3	Open / white
	4-7	Color 1
	8-11	Color 2
	12-15	Color 3
	16-19	Color 4
	20-23	Color 5
	24-27	Color 6
	28-127	Color indexing
	128-189	Forwards rainbow effect from fast to slow
	190-193	No rotation
	194-255	Backwards rainbow effect from slow to fast

19		<b>Color Wheel Fine:</b>
	0-255	Color Wheel colour change to any position Fine
20		<b>CTB/CRI:</b>
	0-63	Open
	64-127	CTB
	128-255	unused
21		<b>Cyan Color :</b>
	0-255	Cyan (0-white, 255-100% Cyan)
22		<b>Cyan Color Fine :</b>
	0-255	Cyan Fine
23		<b>Magenta Color :</b>
	0-255	Magenta (0-white, 255-100% magenta)
24		<b>Magenta Color Fine :</b>
	0-255	Magenta Fine
25		<b>Yellow Color :</b>
	0-255	Yellow (0-white, 255-100% Yellow)
26		<b>Yellow Color Fine :</b>
	0-255	Yellow Fine
27		<b>CTO Color :</b>
	0-255	CTO (0-white, 255-100% CTO)
28		<b>CTO Color Fine :</b>
	0-255	CTO Fine
9		Reserved
10		Reserved
11		Reserved
29		<b>Rotating gobos, cont. rotation 1:</b>
	0-9	Open
	10-19	Rot. gobo 1
	20-29	Rot. gobo 2
	30-39	Rot. gobo 3
	40-49	Rot. gobo 4
	50-59	Rot. gobo 5
	60-69	Rot. gobo 6
	70-77	Rot. Gobo 7
	78-93	Gobo 1 shake slow to fast
	94-109	Gobo 2 shake slow to fast
	110-125	Gobo 3 shake slow to fast
	126-141	Gobo 4 shake slow to fast
	142-157	Gobo 5 shake slow to fast
	158-173	Gobo 6 shake slow to fast
	174-189	Gobo 7 shake slow to fast
	190-221	Gobo wheel rotation forwards from fast to slow
222-223	No rotation	
224-255	Gobo wheel rotation f backwards from slow to fast	
30		<b>Rotating gobo index, rotating gobo rotation 1:</b>
	0-127	Gobo indexing
	128-189	Forwards gobo rotation from fast to slow
	190-193	No rotation
	194-255	Backwards gobo rotation from slow to fast
31		<b>Rotating gobo indexing Fine 1:</b>
	0-255	Fine indexing

		<b>Rotating gobos, cont. rotation 2:</b>
	0-9	Open
	10-19	Rot. gobo 1
	20-29	Rot. gobo 2
	30-39	Rot. gobo 3
	40-49	Rot. gobo 4
	50-59	Rot. gobo 5
	60-69	Rot. gobo 6
	70-77	Rot. Gobo 7
32	78-93	Gobo 1 shake slow to fast
	94-109	Gobo 2 shake slow to fast
	110-125	Gobo 3 shake slow to fast
	126-141	Gobo 4 shake slow to fast
	142-157	Gobo 5 shake slow to fast
	158-173	Gobo 6 shake slow to fast
	174-189	Gobo 7 shake slow to fast
	190-221	Gobo wheel rotation forwards from fast to slow
	222-223	No rotation
	224-255	Gobo wheel rotation f backwards from slow to fast
		<b>Rotating gobo index, rotating gobo rotation 2:</b>
33	0-127	Gobo indexing
	128-189	Forwards gobo rotation from fast to slow
	190-193	No rotation
	194-255	Backwards gobo rotation from slow to fast
34		<b>Rotating gobo indexing Fine 2:</b>
	0-255	Fine indexing
35		<b>Animation wheel 1:</b>
	0	open
	1-239	Animation indexing
	240-255	shake slow to fast
36		<b>Animation wheel 1:</b>
	0-7	No rotation
	8-127	Forwards rotation from fast to slow
	128-135	No rotation
	136-255	Backwards rotation from slow to fast
37		<b>Animation wheel 2:</b>
	0-7	open
	8-127	Forwards rotation from fast to slow
	128-135	No rotation
	136-255	Backwards rotation from slow to fast
38		<b>Iris:</b>
	0-191	Max. diameter to Min.diameter
	192-223	Pulse closing fast to slow
	224-255	Pulse opening slow to fast
39		<b>Iris Fine:</b>
	0-255	Iris Fine
40		<b>Prism 1:</b>
	0-127	Open
	128-255	5-Facet Prism

		<b><u>Rotating prism index, rotating prism rotation 1</u></b>
41	0-127	Prism indexing
	128-189	Forwards prism rotation from fast to slow
	190-193	No rotation
	194-255	Backwards prism rotation from slow to fast
42		<b><u>Rotating prism indexing Fine 1:</u></b>
	0-255	Fine indexing
43		<b><u>Prism 2:</u></b>
	0-127	Open
	128-255	Linear Prism
		<b><u>Rotating prism index, rotating prism rotation 2</u></b>
44	0-127	Prism indexing
	128-189	Forwards prism rotation from fast to slow
	190-193	No rotation
	194-255	Backwards prism rotation from slow to fast
45		<b><u>Rotating prism indexing Fine 2:</u></b>
	0-255	Fine indexing
46		<b><u>Frost 1:</u></b>
	0-255	0-100%
47		<b><u>Frost 2:</u></b>
	0-255	0-100%
48		<b><u>Blade 1A :</u></b>
	0-255	Open to Close
49		<b><u>Blade 1A Fine :</u></b>
	0-255	Open to Close Fine
50		<b><u>Blade 1B :</u></b>
	0-255	Open to Close
51		<b><u>Blade 1B Fine :</u></b>
	0-255	Open to Close Fine
52		<b><u>Blade 2A :</u></b>
	0-255	Open to Close
53		<b><u>Blade 2A Fine :</u></b>
	0-255	Open to Close Fine
54		<b><u>Blade 2B :</u></b>
	0-255	Open to Close
55		<b><u>Blade 2B Fine :</u></b>
	0-255	Open to Close Fine
56		<b><u>Blade 3A :</u></b>
	0-255	Open to Close
57		<b><u>Blade 3A Fine :</u></b>
	0-255	Open to Close Fine
58		<b><u>Blade 3B :</u></b>
	0-255	Open to Close
59		<b><u>Blade 3B Fine :</u></b>
	0-255	Open to Close Fine
60		<b><u>Blade 4A :</u></b>
	0-255	Open to Close
61		<b><u>Blade 4A Fine :</u></b>
	0-255	Open to Close Fine
62		<b><u>Blade 4B :</u></b>
	0-255	Open to Close
63		<b><u>Blade 4B Fine :</u></b>
	0-255	Open to Close Fine
64		<b><u>All Blade Rotation :</u></b>
	0-255	All Blade Rotation
65		<b><u>All Blade Rotation Fine :</u></b>
	0-255	All Blade Rotation Fine



		<b><u>Control, reset, internal programs:</u></b>
	0-4	unused
	5-9	Display Off
	10-14	Display On
	15-19	Display Invert Off
	20-24	Display Invert On
	25-26	Auto fan control mode
	27-28	Stage fan control mode
	29-30	Silence fan control mode
	31-32	Super Silence fan control mode
	33-34	Constant Fans Off
	35-36	Constant Fans On
	37-44	unused
	45-49	Square Law
	50-54	Linear
	55-57	1.2K
	58-60	2.4K
	61-63	16K
	64-69	25K
	70-74	Gobo correction Off
	75-79	Gobo correction On
66	80-84	All motor reset
	85-87	Scan motor reset
	88-90	Colors motor reset
	91-93	Gobo motor reset
	94	unused
	95	Reset P/T Fade Off
	96	Reset P/T Fade On
	97-99	Other motor reset
	100-102	Frost Progressive Off
	103-105	Frost Progressive On
	106-108	CMY speed Fast
	109-111	CMY speed Medium
	112-114	CMY speed Slow
	115-117	Pan/Tilt Spd Medium
	118-120	Pan/Tilt Spd Fast
	121-123	Pan/Tilt Spd Slow
	124-126	Pan/Tilt Spd FS Mode
	127-129	Prerig INIT Off
	130-132	Prerig INIT On
	133-255	unused

## Appendix

name (=DMX value)	color name
EC003	LAVENDER TINT
EC004	MEDIUM BASTARD AMBER
EC007	PALE YELLOW
EC008	DARK SALMON
EC009	PALE AMBER GOLD
EC010	MEDIUM YELLOW
EC013	STRAW TINT
EC015	DEEP STRAW
EC017	SURPRISE PEACH
EC020	MEDIUM AMBER
EC021	GOLD AMBER
EC022	DARK AMBER
EC024	SCARLET
EC025	SUNSET RED
EC026	BRIGHT RED
EC029	PALSA RED
EC035	LIGHT PINK
EC036	MEDIUM PINK
EC046	DARK MAGENTA
EC048	DARK PURPLE
EC052	LIGHT LAVENDER
EC053	PALE LAVENDER
EC058	LAVENDER
EC063	PALE BLUE
EC068	SKY BLUE
EC071	TOKIO BLUE
EC075	EVENING BLUE
EC079	JUST BLUE
EC085	DEEPER BLUE
EC088	LIME GREEN
EC089	MOSS GREEN
EC090	DARKYELLOW GREEN
EC100	SPRING YELLOW
EC101	YELLOW
EC102	LIGHT AMBER
EC103	STRAW
EC104	DEEP AMBER
EC105	ORANGE
EC106	PRIMAY RED
EC107	LIGHT ROSE
EC108	ENGLISH ROSE
EC109	LIGHT SALMON
EC110	MIDDLE ROSE

EC111	DARK PINK
EC113	MAGENTA
EC116	MEDIUM BLUE GREEN
EC118	LIGHT BLUE
EC119	DARK BLUE
EC120	DEEP BLUE
EC124	DARK GREEN
EC126	MAUVE
EC127	SMOKEY PINK
EC128	BRIGHT PINK
EC132	MEDIUM BLUE
EC134	GOLDEN AMBER
EC136	PALE LAVENDER
EC137	SPECIAL LAVENDER
EC138	PALE GREEN
EC139	PRIMARY GREEN
EC140	SUMMER BLUE
EC141	BRIGHT BLUE
EC142	PALE VIOLET
EC143	PALE NAVY BLUE
EC147	APRICOT
EC148	BRIGHT ROSE
EC151	GOLD TINT
EC152	PALE GOLD
EC153	PALE SALMON
EC154	PALE ROSE
EC156	CHOCOLATE
EC158	DEEP ORANGE
EC159	NO COLOR STRAW
EC161	SLATE BLUE
EC162	BASTARD AMBER
EC164	FLAME RED
EC165	DAYLIGHT BLUE
EC169	LILAC TINT
EC170	DEEP LAVENDER
EC172	LAGOON BLUE
EC174	DARK STEEL BLUE
EC176	LOVING AMBER
EC179	CHROME ORANGE
EC180	DARK LAVENDER
EC181	CONGO BLUE
EC182	LIGHT RED
EC183	MOONLIGHT BLUE
EC192	FLESH PINK
EC193	ROSY AMBER
EC194	SURPRISE PINK
EC195	ZENITH BLUE
EC196	TRUE BLUE
EC197	ALICE BLUE
EC198	PALACE BLUE